

## 2021 CHEVROLET CAMARO ZL1 SPECIFICATIONS

### EPA-EST. MPG

City	14 (manual) 13 (automatic)
Highway	20 (manual) 21 (automatic)

### FUEL TANK CAPACITY

19 gal. / 72 liters
---------------------

### ENGINES

Type:	<b>6.2L LT4 Supercharged V-8, VVT with Direct Injection</b>
Bore & stroke (in / mm):	4.06 x 3.62 / 103.25 x 92
Block material:	Cast aluminum
Cylinder head material:	Cast aluminum
Valvetrain:	Overhead-valve, two valves per cylinder
Fuel delivery:	Direct, high-pressure fuel injection
Horsepower (hp / kW @ rpm):	650 / 485 @ 6400 (SAE certified)
Torque (lb.-ft. / Nm @ rpm):	650 / 868 @ 3600 (SAE certified)

### TRANSMISSION & AXLE

Type:	TREMEC six-speed manual with Active Rev Match (standard) Hydra-Matic 10-speed automatic (available)
Final Drive Ratio:	3.73 (manual) 2.85 (automatic)

### CHASSIS & SUSPENSION

Front Suspension:	ZL1: MacPherson-type strut with dual lower ball joints, monotube struts and direct-acting stabilizer bar; with Magnetic Ride Control ZL1 1LE: Multimatic DSSV <sup>®</sup> (Dynamic Suspension Spool Valve) dampers; adjustable camber plates
Rear Suspension:	ZL1: Independent five-link with monotube shocks and direct-acting stabilizer bar; monotube Magnetic Ride Control ZL1 1LE: Multimatic DSSV <sup>®</sup> (Dynamic Suspension Spool Valve) dampers; three-way adjustable stabilizer bar
Steering Type:	ZF rack-mounted electric, power-assisted and variable ratio rack-and-pinion
Turning Circle (ft. / m):	38.4 / 11.7
Brake Type:	Four-wheel disc with four-channel ABS
Brake Rotor Size (in / mm):	Front: 15.35 / 390 vented, with six-piston monobloc calipers Rear: 14.4 / 365 vented, with four-piston fixed calipers
Wheel Size:	ZL1 front: 20-in. x 10-in. forged aluminum <sup>^</sup> ZL1 rear: 20-in. x 11-in. forged aluminum <sup>^</sup> ZL1 1LE front: 19-in. x 11-in. forged aluminum <sup>^</sup>

	ZL1 1LE rear: 19-in. x 12-in. forged aluminum <sup>^</sup>
Tire Size:	ZL1 front: 285/30ZR20 Goodyear Eagle F1 Supercar 3 <sup>^</sup> ZL1 rear: 305/30ZR20 Goodyear Eagle F1 Supercar 3 <sup>^</sup> ZL1 1LE front: 305/30R19 Goodyear Eagle F1 Supercar 3R <sup>^</sup> ZL1 1LE rear: 325/30R19 Goodyear Eagle F1 Supercar 3R <sup>^</sup>

<sup>^</sup>Do not use summer-only tires in winter conditions, as it would adversely affect vehicle safety, performance and durability. Use only GM-approved tire and wheel combinations. Unapproved combinations may change the vehicle's performance characteristics. For important tire and wheel information, go to: [my.chevrolet.com/learn/tires/](http://my.chevrolet.com/learn/tires/) or see your dealer.

### EXTERIOR DIMENSIONS

Wheelbase (in. / mm):	110.7 / 2811
Overall Length (in. / mm):	190.2 / 4812
Overall Width (in. / mm):	74.7 / 1897
Overall Height (in. / mm):	52.4 / 1330
Track (in. mm):	Front: 63.4 / 1610 Rear: 62.6 / 1591

### INTERIOR DIMENSIONS

Headroom (in / mm):	36.6 / 930 (front – coupe) 36.6 / 930 (front – conv.) 33.5 / 852 (rear – coupe) 33.4 / 850 (rear – conv.)
Legroom (in. / mm):	42.7 / 1085 (front) 29.9 / 759 (rear)
Shoulder Room (in. / mm):	55.5 / 1409 (front) 50.3 / 1278 (rear)
Hip Room (in. / mm):	54.5 / 1386 (front) 45.7 / 1160 (rear)

### WEIGHTS & CAPACITIES

Curb Weight (lb. / kg):	3853 / 1748 – ZL1 coupe manual 3883 / 1761 – ZL1 coupe automatic 4120 / 1869 – ZL1 convertible manual 4151 / 1883 – ZL1 convertible automatic
EPA passenger volume (cu. ft. / L):	93 / 2633
Cargo volume (cu. ft. / L) <sup>^</sup> :	9.1 / 257 (coupe) 7.3 / 206 (conv.)

<sup>^</sup>Cargo and load capacity limited by weight and distribution.

## **SAFETY & DRIVER AWARENESS FEATURES**

Airbags <sup>^</sup> : dual-stage frontal, thorax side-impact and knee, driver and front passenger, and head curtain side-impact (head curtain airbags on coupe only). Includes Passenger Sensing System
--

Standard Tire Pressure Monitor System; tire pressure monitor includes tire fill alert (excludes spare tire, if equipped)
--

HD Rear Vision Camera <sup>^^</sup>
-------------------------------------

Head-Up Display <sup>^^</sup> , Forward Collision Alert <sup>^^</sup> (coupe only), Rear Park Assist <sup>^^</sup> , Rear Cross Traffic Alert <sup>^^</sup> and Lane Change Alert with Side Blind Zone Alert <sup>^^</sup> are standard (Forward Collision Alert deleted when equipped with available Performance Data Recorder)
--

<sup>^</sup>Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See your vehicle Owner's Manual for more information. <sup>^^</sup>Read the vehicle's owner's manual for more important feature limitations and information.